

SAFETY DATA SHEET

Creation Date 08-Nov-2010 Revision Date 23-Jul-2014 **Revision Number 1**

1. Identification

Product Name Ammonium metavanadate

Cat No.: AC194910000; AC194910010; AC194910050; AC194910500;

AC194912500

Synonyms Ammonium vanadate

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company **Entity / Business Name Emergency Telephone Number**

Acros Organics For information US call: 001-800-ACROS-01

One Reagent Lane / Europe call: +32 14 57 52 11

Fair Lawn, NJ 07410 Emergency Number **US**:001-201-796-7100 /

Europe: +32 14 57 52 99

CHEMTREC Tel. No.US:001-800-424-9300 /

Europe:001-703-527-3887

2. Hazard(s) identification

Classification

Fisher Scientific

One Reagent Lane

Fair Lawn, NJ 07410

Tel: (201) 796-7100

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 3 Acute Inhalation Toxicity - Dusts and Mists Category 4 Serious Eye Damage/Eye Irritation Category 2 Reproductive Toxicity Category 2 Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Kidney, Liver.

Label Elements

Signal Word

Danger

Hazard Statements

Toxic if swallowed Harmful if inhaled Causes serious eve irritation Suspected of damaging the unborn child

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eve protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

Component	CAS-No	Weight %
Ammonium vanadate	7803-55-6	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects

Notes to Physician

No information available. Treat symptomatically

Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point No information available No information available Method -

Autoignition Temperature

Explosion Limits

Not applicable

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Ammonia Nitrogen oxides (NOx) Heavy metal oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	1	N/A

6. Accidental release measures

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe **Personal Precautions**

areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information.

Methods for Containment and Clean Wear self-contained breathing apparatus and protective suit. Sweep up or vacuum up Up

spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handling and storage

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in Handling

eyes, on skin, or on clothing. Avoid dust formation. Do not breathe vapors/dust. Do not

ingest.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammonium vanadate			Ceiling: 0.05 mg/m ³

Legend

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers **Engineering Measures**

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eve and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tightly fitting safety goggles.

Skin and body protection **Respiratory Protection**

Hygiene Measures

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Solid **Physical State Appearance** Light green Odorless Odor

Odor Threshold No information available No information available

pН Melting Point/Range

200 °C / 392 °F **Boiling Point/Range** No information available Flash Point No information available **Evaporation Rate** Not applicable

No information available Flammability (solid,gas)

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available

Vapor Density Not applicable

Relative Density No information available Solubility No information available Partition coefficient; n-octanol/water No data available

Autoignition Temperature Not applicable

Decomposition temperature No information available

Not applicable **Viscosity** H4 N O3 V Molecular Formula **Molecular Weight** 116.98

10. Stability and reactivity

None known, based on information available **Reactive Hazard**

Stability Stable under normal conditions. Moisture sensitive.

Avoid dust formation. Incompatible products. Excess heat. Exposure to moisture. **Conditions to Avoid**

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Ammonia, Nitrogen oxides (NOx), Heavy metal oxides

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium vanadate	Not listed	Not listed	7800 μg/m³(Rat)4 h 2.5 mg/L(Rat)4h

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No IARC		NTP	ACGIH	OSHA	Mexico	
Ammonium vanadate	7803-55-6	Not listed					

Mutagenic Effects No information available

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects Developmental effects have occurred in experimental animals.

Teratogenicity Teratogenic effects have occurred in experimental animals.

STOT - single exposure None known Kidney Liver STOT - repeated exposure

No information available **Aspiration hazard**

Symptoms / effects, both acute and No information available

delayed

Endocrine Disruptor Information No information available

The toxicological properties have not been fully investigated. See actual entry in RTECS for Other Adverse Effects

complete information.

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ammonium vanadate	Not listed	Ictalrus catus: LC50=2.6	Not listed	Not listed
		ma/L 96h		

Persistence and Degradability based on information available. May persist

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN2859 **UN-No**

Proper Shipping Name AMMONIUM METAVANADATE

Hazard Class 6.1 **Packing Group** Ш

TDG

UN2859 **UN-No**

Proper Shipping Name AMMONIUM METAVANADATE

Hazard Class 6.1 **Packing Group**

IATA UN2859 **UN-No**

Proper Shipping Name AMMONIUM METAVANADATE

Hazard Class 6.1 **Packing Group** Ш

Ammonium metavanadate Revision Date 23-Jul-2014

IMDG/IMO

UN-No UN2859

Proper Shipping Name AMMONIUM METAVANADATE

Hazard Class 6. Packing Group

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ammonium vanadate	Х	Х	-	232-261-3	-		Х	Χ	Χ	Χ	Х

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Ammonium vanadate	7803-55-6	>95	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Ammonium vanadate	1000 lb	-	

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Co	mponent	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ammon	ium vanadate	X	X	X	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):

DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D1A Very toxic materials

D2A Very toxic materials D2B Toxic materials



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 08-Nov-2010

 Revision Date
 23-Jul-2014

 Print Date
 23-Jul-2014

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS