

# SAFETY DATA SHEET

Creation Date 20-Jan-2011

Revision Date 27-Apr-2015

**Revision Number** 2

1. Identification

AC295590000; AC295591000; AC295595000

**Product Name** 

Azur eosin methylene-blue solution according to Giemsa

Cat No. :

Synonyms No information available

Recommended Use

Uses advised against No Information available

Details of the supplier of the safety data sheet

**Company** Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Laboratory chemicals.

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 3
Acute dermal toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Specific target organ toxicity (single exposure)	Category 1
Target Organs - Respiratory system, Central nervous sy	stem (CNS), Optic nerve.

# Label Elements

Signal Word Danger

Hazard Statements Highly flammable liquid and vapor Toxic if swallowed Toxic in contact with skin Toxic if inhaled Causes damage to organs



# **Precautionary Statements**

## Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Take precautionary measures against static discharge Response IF exposed: Call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician Skin Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Indestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Fire Fight fire with normal precautions from a reasonable distance Explosion risk in case of fire Evacuate area Storage Store locked up Store in a well-ventilated place. Keep cool Store in a closed container Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

# None identified

# Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. Cannot be made non-poisonous. WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Methyl alcohol	67-56-1	100
Giemsa's stain	51811-82-6	0.5

# 4. First-aid measures

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eve Contest	Dince immediately with planty of water, also under the evolide, for at least 15 minutes		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.		
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is required. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device.		
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.		
Most important symptoms/effects	Breathing difficulties Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting		
Notes to Physician	Treat symptomatically		
	5. Fire-fighting measures		
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.		
Unsuitable Extinguishing Media	No information available		
Flash Point Method -	15 °C / 59 °F No information available		

Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

## Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Vapors may form explosive mixtures with air.

# Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

# Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA_ Health 3	Flammability 3	<b>Instability</b> 0	Physical hazards N/A	
	6. Accidental re	lease measures		
Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Keep people away fr and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignit Take precautionary measures against static discharges.   Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological information.				
Methods for Containment and C Up		ontainers for disposal. Soak up v ition. Use spark-proof tools and		

# 7. Handling and storage

#### Handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

# 8. Exposure controls / personal protection

# Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m <sup>3</sup> (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m <sup>3</sup> Skin TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Methyl alcohol	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup> Skin	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 310 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 250 ppm Skin

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties			
Physical State	Liquid			
Appearance	Dark blue			
Odor	Alcohol-like			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	No data available			

# Azur eosin methylene-blue solution according to Giemsa

Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Pressure Vapor Density Relative Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity No information available 15 °C / 59 °F No information available Not applicable

No data available No data available No information available > 1.0 0.990 No information available No data available No information available No information available No information available

	10. Stability and reactivity						
	Reactive Hazard None known, based on information available						
	Stability	Stable under normal conditions.					
	Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.					
	Incompatible Materials	Strong oxidizing agents					
	Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )					
Hazardous Polymerization Hazardous polymerization does not occur.							
	Hazardous Reactions	None under normal processing.					

11. Toxicological information

# Acute Toxicity

Product Information	ı	No acute toxicity ir	nformation is availa	ble for this produc	ct	
Oral LD50		Category 3.				
Dermal LD50		Category 3.				
Vapor LC50		Category 3.				
Component Informa	ition					
Componen	t	LD50 Oral		LD50 Dermal	LC50	nhalation
Methyl alcoh	ol	6200 mg/kg (Rat)	1580	0 mg/kg (Rabbit)		om(Rat)4 h /L(Rat)4 h
	iate effects as	s well as chronic effe			osure	
Irritation Sensitization		May cause eye, skin, and respiratory tract irritation No information available				
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Methyl alcohol	67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed

component					USIIA	INICAICO	
Methyl alcohol	67-56-1	Not listed					
Giemsa's stain	51811-82-6	Not listed					
Mutagenic Effects No information available							

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	Teratogenic effects have occurred in experimental animals.
STOT - single exposure STOT - repeated exposure	Respiratory system Central nervous system (CNS) Optic nerve None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed Endocrine Disruptor Information	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea			
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h			
-		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	-			
		-	EC50 = 43000 mg/L 5 min				
Persistence and Degradab	pility Persistence i	s unlikely					
<b>Bioaccumulation/Accumu</b>	ulation No information	No information available.					

#### Mobility

Component	log Pow
Methyl alcohol	-0.74

# Waste Disposal Methods

# 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

# 14. Transport information

DOT	
UN-No	UN1230
Proper Shipping Name	METHANOL SOLUTION
Hazard Class	3
Packing Group	II
TDG	
UN-No	UN1230
Proper Shipping Name	METHANOL SOLUTION
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II
IATA	
UN-No	UN1230
Proper Shipping Name	METHANOL SOLUTION
Hazard Class	3
Subsidiary Hazard Class	6.1

Packing Group	II	
IMDG/IMO		
UN-No	UN1230	
Proper Shipping Name	METHANOL SOLUTION	
Hazard Class	3	
Subsidiary Hazard Class	6.1	
Packing Group	II	
	15 Regulator	

# 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Methyl alcohol	Х	Х	-	200-659-6	-		Х	Х	Х	Х	Х
Giemsa's stain	Х	Х	-	257-438-2	-		Х	-	Х	Х	-

Legend: X - Listed

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	100	1.0

# SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-

**OSHA** Occupational Safety and Health Administration Not applicable

# CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65		Prop 65 NSRL		Category
Methyl alcohol	67-56-1	Developmental -		-	Developmental	
State Right-to-Know		· ·				
Component	Massachusetts	New Jersey	Penns	ylvania	Illinois	Rhode Island
Methyl alcohol	Х	Х	)	K	Х	X

#### U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade

No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

## WHMIS Hazard Class

B2 Flammable liquid D1A Very toxic materials

Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com



# 16. Other information

**Prepared By** 

Creation Date Revision Date Print Date Revision Summary

20-Jan-2011 27-Apr-2015 27-Apr-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

#### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# End of SDS