SAFETY DATA SHEET

Version 5.4 Revision Date 03/16/2015 Print Date 07/10/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Diethylamine

Product Number : 471216
Brand : Sigma-Aldrich
Index-No. : 612-003-00-X

CAS-No. : 109-89-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour. H302 + H332 Harmful if swallowed or if inhaled

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Sigma-Aldrich - 471216 Page 1 of 9

Precautionary statement(s)		
P210	Keep away from heat/sparks/open flames/hot surfaces No smokin-	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	
P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face	
	protection.	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you	
	feel unwell. Rinse mouth.	
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.	
	Rinse skin with water/shower.	
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for	
	breathing. Immediately call a POISON CENTER or doctor/ physician.	
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing. Immediately	
	call a POISON CENTER or doctor/ physician.	
P362	Take off contaminated clothing and wash before reuse.	
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to	
	extinguish.	
P403 + P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/ container to an approved waste disposal plant.	
P501	Dispose of contents/ container to an approved waste disposal plant.	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Classification	Concentration
Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 2; H225, H302 + H332, H311,	<= 100 %
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 2;

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 471216 Page 2 of 9

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Flash back possible over considerable distance. Container explosion may occur under fire conditions. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

Sigma-Aldrich - 471216 Page 3 of 9

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
D: (I I '	100.00.7	T) 4 / 4	parameters	1104 40011171 1 1111 1111			
Diethylamine	109-89-7	TWA	5.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)			
	Remarks	Upper Respiratory Tract irritation					
		Eye irritatio	Eye irritation				
		Not classifiable as a human carcinogen					
		Danger of cutaneous absorption					
		STEL	15.000000 ppm	USA. ACGIH Threshold Limit Values			
		Honor Door	irotory Troot irritati	(TLV)			
		Upper Respiratory Tract irritation Eye irritation					
		Not classifiable as a human carcinogen					
		Danger of cutaneous absorption TWA 10.000000 ppm USA. NIOSH Recommended					
		IVVA	30.000000 ppiii	Exposure Limits			
			mg/m3	Exposure Limits			
		ST	25.000000 ppm	USA. NIOSH Recommended			
			75.000000	Exposure Limits			
			mg/m3				
		TWA	25.000000 ppm	USA. Occupational Exposure Limits			
			75.000000	(OSHA) - Table Z-1 Limits for Air			
			mg/m3	Contaminants			
		The value in	n mg/m3 is approxir	nate.			
		TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Upper Respiratory Tract irritation					
				sot initiation			
		Leve irritation					
		Eye irritatio					
		Skin irritation	n	rcinogen			
		Skin irritation	on able as a human ca				
		Skin irritation	n	USA. ACGIH Threshold Limit Values			
		Skin irritation Not classifiand Danger of constant STEL	on able as a human ca cutaneous absorptic 15 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Skin irritation Not classification Danger of control STEL Upper Responses	on able as a human ca cutaneous absorptic 15 ppm biratory Tract irritatio	USA. ACGIH Threshold Limit Values (TLV)			
		Skin irritation Not classifiate Danger of control STEL Upper Responder irritation	on able as a human ca cutaneous absorptic 15 ppm biratory Tract irritation	USA. ACGIH Threshold Limit Values (TLV)			
		Skin irritation Not classifiad Danger of constant STEL Upper Respondary Eye irritation Skin irritation	on able as a human ca cutaneous absorption 15 ppm biratory Tract irritation	USA. ACGIH Threshold Limit Values (TLV)			
		Skin irritation Not classifiad Danger of control STEL Upper Respondary Eye irritation Skin irritation Not classifiad	on able as a human cacutaneous absorption 15 ppm Diratory Tract irritation on able as a human ca	USA. ACGIH Threshold Limit Values (TLV)			
		Skin irritation Not classified Danger of control STEL Upper Respondation Skin irritation Not classified Danger of control	on able as a human cacutaneous absorption 15 ppm Diratory Tract irritation able as a human cacutaneous absorption	USA. ACGIH Threshold Limit Values (TLV) on rcinogen			
		Skin irritation Not classifiad Danger of control STEL Upper Respondary Eye irritation Skin irritation Not classifiad	contable as a human castutaneous absorption 15 ppm Diratory Tract irritation able as a human castutaneous absorption 25 ppm	USA. ACGIH Threshold Limit Values (TLV) on rcinogen on USA. NIOSH Recommended			
		Skin irritation Not classifiad Danger of control STEL Upper Responder irritation Skin irritation Not classifiad Danger of control ST	contable as a human captutaneous absorption 15 ppm Diratory Tract irritation able as a human captutaneous absorption 25 ppm 75 mg/m3	USA. ACGIH Threshold Limit Values (TLV) on rcinogen on USA. NIOSH Recommended Exposure Limits			
		Skin irritation Not classified Danger of control STEL Upper Respondation Skin irritation Not classified Danger of control	contable as a human castutaneous absorption 15 ppm Diratory Tract irritation able as a human castutaneous absorption 25 ppm	USA. ACGIH Threshold Limit Values (TLV) on rcinogen on USA. NIOSH Recommended			
		Skin irritation Not classifiad Danger of control STEL Upper Responder irritation Skin irritation Not classifiad Danger of control ST	on able as a human cacutaneous absorption 15 ppm Diratory Tract irritation able as a human cacutaneous absorption 25 ppm 75 mg/m3 10 ppm 30 mg/m3	USA. ACGIH Threshold Limit Values (TLV) on rcinogen on USA. NIOSH Recommended Exposure Limits USA. NIOSH Recommended Exposure Limits			
		Skin irritation Not classifiad Danger of control STEL Upper Responder irritation Skin irritation Not classifiad Danger of control ST	able as a human ca cutaneous absorption 15 ppm Diratory Tract irritation able as a human ca cutaneous absorption 25 ppm 75 mg/m3	USA. ACGIH Threshold Limit Values (TLV) on rcinogen on USA. NIOSH Recommended Exposure Limits USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air			
		Skin irritation Not classifiad Danger of construction STEL Upper Responder irritation Skin irritation Not classifiad Danger of construction STEC	contable as a human captutaneous absorption 15 ppm Diratory Tract irritation able as a human captutaneous absorption 25 ppm 75 mg/m3 10 ppm 30 mg/m3 25 ppm	USA. ACGIH Threshold Limit Values (TLV) rcinogen USA. NIOSH Recommended Exposure Limits USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Sigma-Aldrich - 471216 Page 4 of 9

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 159 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odourc) Odour Thresholddata availableNo data available

d) pH 13 at 100 g/l at 20 °C (68 °F)

e) Melting point/freezing Melting point/range: -50 °C (-58 °F)

point

f) Initial boiling point and 55 °C (131 °F)

boiling range

g) Flash point -22.99 °C (-9.38 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 10.1 %(V) flammability or Lower explosion limit: 1.8 %(V)

explosive limits

k) Vapour pressure 241.936 hPa (181.467 mmHg) at 20 °C (68 °F)

Sigma-Aldrich - 471216 Page 5 of 9

I) Vapour density 2.53 - (Air = 1.0)

m) Relative density 0.707 g/mL at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

log Pow: 0.58

p) Auto-ignition

310 °C (590 °F) at 1,013 hPa (760 mmHg)

temperature

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 19.85 mN/m at 25 °C (77 °F)

Relative vapour density 2.53 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Aldehydes, Alcohols, Dicyanofurazan, Ketones, phenols, Acids, Halogenated hydrocarbon, Oxidizing agents, Epoxides

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 540 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - female - 4 h - 17.3 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 582 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns. - 1 min

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Sigma-Aldrich - 471216 Page 6 of 9

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Mouse lymphocyte Result: negative

Mouse - male and female

Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: HZ8750000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Lachrymation

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Oryzias latipes - 27 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

other aquatic invertebrates

Toxicity to algae

semi-static test EC50 - Ceriodaphnia dubia (water flea) - 4.6 mg/l - 48 h

static test EC50 - Pseudokirchneriella subcapitata (green algae) - 54 mg/l - 72

h (OECD Test Guideline 201)

Toxicity to bacteria LC50 - Pseudomonas putida - 47 mg/l - 17 h

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 68 - 70 % - Readily biodegradable

(OECD Test Guideline 301C)

Sigma-Aldrich - 471216 Page 7 of 9

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

Do not empty into drains.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1154 Class: 3 (8) Packing group: II

Proper shipping name: Diethylamine Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1154 Class: 3 (8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: DIETHYLAMINE

IATA

UN number: 1154 Class: 3 (8) Packing group: II

Proper shipping name: Diethylamine

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CAS-No

Revision Date

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

	0/10/110.	revision bate
Diethylamine	109-89-7	1993-04-24

Pennsylvania Right To Know Components

Diethylamine CAS-No. Revision Date 109-89-7 1993-04-24

New Jersey Right To Know Components

Diethylamine CAS-No. Revision Date 109-89-7 1993-04-24

Sigma-Aldrich - 471216 Page 8 of 9

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4 Revision Date: 03/16/2015 Print Date: 07/10/2015

Sigma-Aldrich - 471216 Page 9 of 9