

# Part of Thermo Fisher Scientific

# **SAFETY DATA SHEET**

Creation Date 08-Dec-2009 Revision Date 09-Jul-2015 Revision Number 3

1. Identification

Product Name Stannous Chloride Dihydrate

Cat No.: T142-3; T142-100; T142-500; T142-500LC;

Synonyms Stannous chloride dihydrate

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Corrosive to metals                                  | Category 1 |
|--|------------|
| Acute Inhalation Toxicity - Dusts and Mists          | Category 4 |
| Skin Corrosion/irritation                            | Category 2 |
| Serious Eye Damage/Eye Irritation                    | Category 2 |
| Skin Sensitization                                   | Category 1 |
| Germ Cell Mutagenicity                               | Category 2 |
| Reproductive Toxicity                                | Category 2 |
| Specific target organ toxicity (single exposure)     | Category 3 |
| Target Organs - Respiratory system.                  |            |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Kidney, spleen, Blood.               |            |
|  |            |

Label Elements

### Signal Word

Warning

### **Hazard Statements**

May be corrosive to metals Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Harmful if inhaled

May cause respiratory irritation
Suspected of causing genetic defects
Suspected of damaging the unborn child
May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition / information on ingredients

| Component                   | CAS-No     | Weight % |
|-----------------------------|------------|----------|
| Stannous chloride dihydrate | 10025-69-1 | >95      |
| Stannous chloride           | 7772-99-8  | -        |

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects None reasonably foreseeable. May cause allergic skin reaction. . Symptoms of allergic

reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and

feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Hydrogen chloride gas Thermal decomposition can lead to release of irritating gases and vapors

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2      | 0            | 1           | N/A              |

## 6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

**Methods for Containment and Clean** Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

|          | 7. Handling and storage   |
|----------|---|
| Handling | Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Ensure adequate ventilation. Avoid ingestion and inhalation. |
| Storage  | Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers.  |

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

| Component                   | ACGIH TLV                | OSHA PEL                           | NIOSH IDLH  |
|-----------------------------|--------------------------|------------------------------------|---|
| Stannous chloride dihydrate | TWA: 2 mg/m <sup>3</sup> | (Vacated) TWA: 2 mg/m <sup>3</sup> | IDLH: 100 mg/m³<br>TWA: 2 mg/m³                         |
| Stannous chloride           | TWA: 2 mg/m <sup>3</sup> | (Vacated) TWA: 2 mg/m <sup>3</sup> | IDLH: 100 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup> |

| Component                   | Quebec                   | Mexico OEL (TWA)              | Ontario TWAEV            |
|-----------------------------|--------------------------|-------------------------------|--------------------------|
| Stannous chloride dihydrate | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m³<br>STEL: 4 mg/m³ | TWA: 2 mg/m <sup>3</sup> |
| Stannous chloride           | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m³<br>STEL: 4 mg/m³ | TWA: 2 mg/m <sup>3</sup> |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tightly fitting safety goggles. Face-shield.

**Skin and body protection** Long sleeved clothing.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateSolidAppearanceColorlessOdorOdorless

Odor Threshold No information available

H Not applicable

 Melting Point/Range
 37 - 38 °C / 98.6 - 100.4 °F

 Boiling Point/Range
 652 °C / 1205.6 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor DensityNot applicableRelative DensityNo information available

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature No data available

Decomposition Temperature

No information available

Viscosity Not applicable Molecular Formula CI2 Sn . 2 H2 O

Molecular Weight 225.63

# 10. Stability and reactivity

Reactive Hazard Yes

Stability Strong reducing agent. Fire and explosion risk in contact with oxidizing agents. Moisture

sensitive.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Peroxides, Alkali metals

Hazardous Decomposition Products Hydrogen chloride gas, Thermal decomposition can lead to release of irritating gases and

vapors

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

| Component         | Component LD50 Oral |            | LC50 Inhalation |  |
|-------------------|---------------------|------------|-----------------|--|
| Stannous chloride | 2300 mg/kg (Rat)    | Not listed | Not listed      |  |

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization May cause sensitization by skin contact

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component                   | CAS-No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-----------------------------|------------|------------|------------|------------|------------|------------|
| Stannous chloride dihydrate | 10025-69-1 | Not listed |
| Stannous chloride           | 7772-99-8  | Not listed |

Mutagenic Effects Mutagenic effects have occurred in humans.

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

**Developmental Effects**Developmental effects have occurred in experimental animals.

**Teratogenicity** Teratogenic effects have occurred in experimental animals.

**STOT - single exposure**STOT - repeated exposure
Respiratory system
Kidney spleen Blood

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

delayed

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

# 12. Ecological information

### Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component         | Freshwater Algae | Freshwater Fish | Microtox   | Water Flea           |
|-------------------|------------------|-----------------|------------|----------------------|
| Stannous chloride | Not listed       | Not listed      | Not listed | EC50 = 19.5 mg/L/48h |

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

**Mobility** 

Will likely be mobile in the environment due to its water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Proper technical name Stannous chloride dihydrate

Hazard Class 8
Packing Group III

**TDG** 

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

IATA

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group |||

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

## **International Inventories**

| Component                   | TSCA | DSL | NDSL | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-----------------------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Stannous chloride dihydrate | -    | -   | -    | -         | -      |     | Χ     | Χ    | Χ    | Х     | -    |
| Stannous chloride           | Х    | Х   | -    | 231-868-0 | -      |     | Χ     | Χ    | Χ    | Х     | Χ    |

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base

#### Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Sudden Release of Pressure Hazard
No
Reactive Hazard
Yes
No
Yes

Clean Water Act Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA**Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

| Component         | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Stannous chloride | X             | X          | =            | =        | =            |

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

# **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D1B Toxic materials

D2B Toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 08-Dec-2009

 Revision Date
 09-Jul-2015

 Print Date
 09-Jul-2015

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**