Material Safety Data Sheet

Barium Hydroxide



Section 1. Product and Company Identification

Product name Barium Hydroxide

: BX0090 Product code

Svnonvm : Barium octahydrate

: Other non-specified industry: Analytical reagent. **Material uses**

Manufacturer : EMD Chemicals Inc.

P.O. Box 70

480 Democrat Road Gibbstown, NJ 08027

856-423-6300 Technical Service Monday - Friday: 8:00 - 5:00 PM

Validation date : 4/2/2007. **Print date** : 4/3/2007.

: 800-424-9300 CHEMTREC (USA) In case of emergency

> 613-996-6666 CANUTEC (Canada) 24 Hours/Day: 7 Days/Week

Section 2. Hazards Identification

Physical state : Solid. (Crystals.)

Odor : Odorless.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

: DANGER! **Emergency overview**

MAY BE FATAL IF INHALED OR SWALLOWED.

CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS.

HARMFUL IF ABSORBED THROUGH SKIN.

MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: HEART, CENTRAL

NERVOUS SYSTEM.

Do not ingest. Do not get in eyes or on skin or clothing. Do not breathe dust. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

: Dermal contact. Eye contact. Inhalation. Ingestion. Routes of entry

Potential acute health effects

: Corrosive to eyes. Dust may cause mechanical irritation to eyes. Eyes

Skin : Toxic in contact with skin. Corrosive to the skin.

: Very toxic by inhalation. Corrosive to the respiratory system. Inhalation

: Very toxic if swallowed. May cause burns to mouth, throat and stomach. Ingestion

: No known significant effects or critical hazards. Carcinogenic effects **Mutagenic effects** : No known significant effects or critical hazards. Teratogenicity / : No known significant effects or critical hazards.

Reproductive toxicity

Medical conditions

aggravated by overexposure

: Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated exposure of

the eyes to a low level of dust can produce eye irritation. Repeated or prolonged

exposure to the substance can produce target organs damage.

See toxicological information (section 11)

Barium Hydroxide BX0090 Page: 2/6

Section 3. Composition/Information on Ingredients

United States

Name **CAS** number % by Weight Barium Hydroxide, Octahydrate 12230-71-6

Section 4. First Aid Measures

Eye contact : Get medical attention immediately. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove

any contact lenses. Chemical burns must be treated promptly by a physician.

Skin contact : Get medical attention immediately. Flush contaminated skin with plenty of water.

> Continue to rinse for at least 10 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Chemical burns must be treated promptly by a physician. Wash clothing before reuse.

Clean shoes thoroughly before reuse.

Inhalation : Get medical attention immediately. Move exposed person to fresh air. If it is suspected

that fumes are still present, the rescuer should wear an appropriate mask or selfcontained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouthto-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

tie, belt or waistband.

Ingestion : Get medical attention immediately. Wash out mouth with water. Remove dentures if

any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing or wear gloves.

Section 5. Fire Fighting Measures

Flammability of the product: No specific hazard.

Extinguishing media

Suitable : Use an extinguishing agent suitable for the surrounding fire.

: None known. Not suitable Special exposure hazards : Not available.

Special protective

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. equipment for fire-fighters

Section 6. Accidental Release Measures

: Immediately contact emergency personnel. Keep unnecessary personnel away. Use Personal precautions suitable protective equipment.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up : If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal by incineration. Avoid creating dusty

conditions and prevent wind dispersal.

Continued on Next Page

Barium Hydroxide BX0090 Page: 3/6

Section 7. Handling and Storage

Handling: Do not ingest. Do not get in eyes or on skin or clothing. Keep container closed. Use

only with adequate ventilation. Do not breathe dust. Wash thoroughly after handling.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls/Personal Protection

<u>Product name</u> <u>Exposure limits</u>

United States

Barium Hydroxide, Octahydrate ACGIH TLV (United States, 1/2006). Notes: as Ba 1996 Adoption Refers to Appendix A -- Carcinogens.

TWA: 0.5 mg/m³ 8 hour/hours.

OSHA PEL (United States, 8/1997). Notes: as Ba

TWA: 0.5 mg/m³ 8 hour/hours.

OSHA PEL 1989 (United States, 3/1989). Notes: as Ba

TWA: 0.5 mg/m³ 8 hour/hours.

Consult local authorities for acceptable exposure limits.

Engineering measures : Use only with adequate ventilation. If user operations generate dust, fumes, vapor or

mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory

limits.

Personal protection

Eyes : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists,

gases or dusts.

Recommended: face shield

Skin : Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling

this product.

Body: Recommended: Full suit. and gloves

Feet: Recommended: Boots.

Respiratory: Use a properly fitted, particulate filter respirator complying with an approved standard if a

risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working

limits of the selected respirator.

Recommended: Vapor respirator. Be sure to use an approved/certified respirator or

equivalent. Vapor respirator or self-contained breathing apparatus (SCBA).

Hands : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period. Appropriate

techniques should be used to remove potentially contaminated clothing. Wash

contaminated clothing before reusing. Ensure that eyewash stations and safety showers

are close to the workstation location.

Section 9. Physical and Chemical Properties

Physical state : Solid. (Crystals.)

Color : White.
Odor : Odorless.

Molecular weight : 315.46 g/mole

Molecular formula : BaH2O2.8H2O

Continued on Next Page

Barium Hydroxide BX0090 Page: 4/6

Section 10. Stability and Reactivity

Stability and reactivity : The product is stable.

Incompatibility with various: Reactive or incompatible with the following materials: acids.

substances

Hazardous polymerization : Will not occur.

Section 11. Toxicological Information

Toxicity data

Chronic effects on humans : CARCINOGENIC EFFECTS A4 (Not classifiable for humans or animals.) by ACGIH.

May cause damage to the following organs: heart, central nervous system (CNS).

Other toxic effects on

: Extremely hazardous in case of ingestion.

humans

Very hazardous in case of skin contact (permeator), of inhalation (lung irritant).

Specific effects

Carcinogenic effects : No known significant effects or critical hazards. Mutagenic effects : No known significant effects or critical hazards.

Teratogenicity / Reproductive toxicity : No known significant effects or critical hazards.

Sensitization

: May cause burns to mouth, throat and stomach. Ingestion

Inhalation : Corrosive to the respiratory system.

Corrosive to eyes. Dust may cause mechanical irritation to eyes. **Eyes**

Skin : Corrosive to the skin.

Section 12. Ecological Information

Environmental precautions: No known significant effects or critical hazards.

: Some metallic oxides. Products of degradation

Toxicity of the products of

: The products of degradation are less toxic than the product itself.

biodegradation

Section 13. Disposal Considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid

dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation

and any regional local authority requirements.

RCRA classification : **Code**: (C)

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Barium Hydroxide BX0090 Page: 5/6

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Class	PG*	Label	Additional information
DOT Classification	UN3262	Corrosive solid, inorganic, N.O.S. (Barium Hydroxide)	8	II		Not available.

PG* : Packing group

Section 15. Regulatory Information

United States

HCS Classification: Highly toxic material

Corrosive material Target organ effects

U.S. Federal regulations : TSCA 8(b) inventory: Listed

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Barium

Hydroxide, Octahydrate: Immediate (acute) health hazard Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations : Pennsylvania RTK: Barium Hydroxide, Octahydrate: (environmental hazard, generic

environmental hazard)

New Jersey: Barium Hydroxide, Octahydrate

<u>Canada</u>

WHMIS (Canada) : Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class E: Corrosive material

CEPA DSL/CEPA NDSL : No products were found.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

EU regulations

Risk phrases: This product is not classified according to EU legislation.

International regulations

International lists : Australia (NICNAS): Barium Hydroxide, Octahydrate

China: Barium Hydroxide, Octahydrate

Philippines (RA6969): Barium Hydroxide, Octahydrate

Barium Hydroxide BX0090 Page: 6/6

Section 16. Other Information

Label requirements : DANGER!

MAY BE FATAL IF INHALED OR SWALLOWED.

CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS.

HARMFUL IF ABSORBED THROUGH SKIN.

MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: HEART, CENTRAL

NERVOUS SYSTEM.

National Fire Protection Association (U.S.A.)

Health 2 0 Instability
Special

Notice to reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.