

# MATERIAL SAFETY DATA SHEET

(Essentially Similar to Form OSHA-174 / 29 CFR 1910-1200)

PRODUCT NAME InstantFOAM<sup>TM</sup> alcohol hand sanitizer

FORMULA AFS6510FCi

HMIS RATING HEALTH = 0 FIRE = 3 REACTIVITY = 0 (Scale 0-4, where 4 = severe hazard)

#### SECTION I – MANUFACTURER INFORMATION

MANUFACTURED DEB SBS, Inc. EMERGENCY CONTACT Chemtrec

BY DEB FOR 1100 Highway 27 South 800-424-9300 (24 hour)

Stanley, NC 28164 PREPARED BY Sandra N. Porter PHONE NUMBER 704-263-4240 REVISION DATE July 2, 2009

REASON FOR CHANGE Fire=3 (HMIS)

# **SECTION II – INGREDIENTS**

This product is manufactured and labeled in compliance with the Federal Food, Drug, and Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard Communication Standard. All product ingredients are listed below.

ACTIVE INGREDIENT	<u>CAS NUMBER</u>	FORMULA, %
Ethyl Alcohol	64-17-5	72 (by volume)

# **INACTIVE INGREDIENTS**

Water	7732-18-5
n-Propanol	71-23-8
Coco-Glucoside	141464-42-8
Glyceryl Oleate	68424-61-3
PEG-7 Glyceryl Cocoate	68201-46-7
PEG-200 Hydrogenated Glyceryl Palmate	67784-88-7
Dihydroxypropyl PEG-5 Linoleaminium Chloride	168677-75-6
Behentrimonium Chloride	17301-53-0
Bis-PEG-12 Dimethicone	102783-01-7

Data marked with asterisk (\*) in section III below refer to the properties of Ethyl Alcohol

# SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT	NA	SPECIFIC GRAVITY $(H_20 = 1)$	0.80
VAPOR PRESSURE (mmHg)	ND	MELTING POINT	NA
VAPOR DENSITY (Air = $1$ )	ND	EVAPORATION RATE (Butyl Acetate = 1)	1.4 *
SOLUBILITY IN WATER	Complete	pH	NA

APPEARANCE & ODOR Clear to slightly opaque liquid with an alcohol odor

# SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used) 72°F (ASTM D-1310 open cup) FLAMMABLE LIMITS LEL: ND UEL: ND

EXTINGUISHING MEDIA Dry chemical, carbon dioxide, water spray (fog) or alcohol foam

SPECIAL FIRE FIGHTING PROCEDURES

Blanket fire with extinguishing medium.

UNUSUAL FIRE AND EXPLOSION HAZARDS Undetermined

# MATERIAL SAFETY DATA SHEET – InstantFOAM™ alcohol hand sanitizer, page 2

# **SECTION V - REACTIVITY DATA**

STABILITY Unstable Conditions to Avoid: Heat or ignition sources

Stable X

INCOMPATIBILITY Oxidizing agents; may react with aluminum at high temperatures

HAZARDOUS DECOMPOSITION

OR BY-PRODUCTS

Ammonia, nitrous oxides, and hydrogen chloride are produced upon combustion.

HAZARDOUS POLYMERIZATION May Occur Conditions to Avoid: None known

Will not Occur X

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY Inhalation, Ingestion only by accidental or intentional misuse

**HEALTH HAZARDS** 

Skin: Excessive exposure may cause irritation or dryness.

Eyes: May cause temporary irritation.

Ingestion: May result in vomiting.

Inhalation: Vapors may cause drowsiness.

EMERGENCY AND FIRST AID PROCEDURES

Skin: Rinse affected area with water. Consult with a physician if irritation persists.

Eyes: Immediately flush eyes with clean water for at least 15 minutes or until irritation subsides. Consult with a

physician if pain or irritation persists.

Ingestion: Do not induce vomiting. Consult with a physician immediately.

Inhalation: Remove from exposure. Consult with a physician if condition persists.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL Apply absorbent material and place in covered containers for disposal.

WASTE DISPOSAL METHOD Dispose in accordance with state, local and federal regulations.

PRECAUTIONS FOR HANDLING Keep out of reach of children and other persons who may misus

PRECAUTIONS FOR HANDLING

Keep out of reach of children and other persons who may misuse the product.

AND STORAGE

Avoid contact with excessive heat, ignition sources, and incompatible materials.

Store in cool, well-ventilated area. Do not store in aluminum containers.

# **SECTION VIII - CONTROL MEASURES**

SPECIAL RESPIRATORY PROTECTION

SPECIAL SKIN PROTECTION

SPECIAL EYE PROTECTION

None required

Avoid eye contact.

While the information and recommendations set forth herein are believed to be accurate as of the date hereof, DEB SBS, Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon, and responsibility for improper application or misuse of product in any manner whatsoever. Final determination of suitability of any material is the sole responsibility of the user.